


Raspberry Pi
Foundation

Experience AI

AI Glossary
of terms

I-AI Uhlu
Iwamagama



Experience AI – Glossary of terms

This glossary explains artificial intelligence (AI) and machine learning (ML) key terms used in the [Experience AI Lessons](#) and beyond.

[Jump to the glossary](#)

We have designed these explanations primarily for teachers and educators, with a young audience in mind. With this glossary, we aim to support you to strengthen your understanding of these key terms, as well as your technical knowledge.

Vocabulary is an important part of teaching and learning. Using vocabulary correctly can support learners to develop their understanding, while its inconsistent use can lead to alternate conceptions (misconceptions) that can interfere with students' learning. You can read more about this in [our Pedagogy Quick Read on alternate conceptions](#). As a teacher, using accurate, technical vocabulary regularly and consistently can support students' conceptual understanding.

We have used 'semantic waves' theory to help us write the explanations. Each explanation follows the same three-part structure: the first part is a more abstract explanation of the term, the second part unpacks the meaning of the term using a common example, and the third part repacks what was explained in the example in more abstract terms again to reconnect with the vocabulary. You can find out more

Izwa i-AI - Uhlu lwamagama

Le glossary ichaza ubuhlakani bokwenziwa (AI) nokufunda komshini (ML) amagama abalulekile asetshenziswe kokuthi [Thola Izifundo ze-AI](#) nangale kwalokho.

[Gxumela kuhlu lwamagama](#)

Sidizayine lezi zincazelo senzela ikakhulukazi othisha abanabantu abancane emqondweni wabo Ngalolu luhlu lwamagama, sihlose ukukusekela ukuze uqinise ukuqonda kwakho la magama abalulekile, kanye nolwazi lwakho lobuchwepheshe.

Silulumagama (vocabulary)siyingxenye ebalulekile yokufundisa nokufunda. Ukusebenzisa isilulumagama ngendlela efanele kungasiza abafundi ukuba bathuthukise ukuqonda kwabo, kuyilapho ukusetshenziswa kwalo okungaguquki kungaholela emicabangweni ehlukile (imibono eyiphutha) engaphazamisa ukufunda kwabafundi. Ungafunda okwengeziwe mayelana nalokhu [kwiPedagogy yethu Ukufunda Okusheshayo kweminye imibono](#). Njengothisha, ukusebenzisa ulwazimagama olunembile, lobuchwepheshe njalo nangokungaguququki kungasekela ukuqonda komqondo kwabafundi.

Sisebenzise ithiyori ye-'semantic wave' ukuze usisize sibhale izincazelo. Incazelo ngayinye ilandela ukwakheka okufanayo okunezingxenye ezintathu: ingxenye yokuqala iyincazelo engacacile yegama, ingxenye yesibili iveza incazelo yegama

in [our Pedagogy Quick Read on semantic waves](#).

This is Version 1 of the glossary. This glossary will be added to, revised, and updated alongside the evolution of the Experience AI Lessons.

kusetshenziswa isibonelo esivamile, futhi ingxenywe yesithathu iphinda iphinde ihlanganise lokho okwachazwa esibonelweni ngamagama angaqondakali kakhudlwana futhi ukuze iphinde ixhumane nesilulumagama. Ungathola okwengeziwe kokuthi [yethu Pedagogy Ukufunda Okusheshayo kumagagasi e-semantic](#).

Lena Inguqulo yokuqala yohlu lwamagama. Le glossary izokwengezwa, ibuyekezwe, kanye nokubela kweZifundo ze-AI ze-AI.

Table of contents

[ML accuracy](#)

[Artificial intelligence](#)

[AI literacy](#)

[AI project lifecycle](#)

[Bias](#)

[ML class](#)

[ML classification](#)

[Computer vision](#)

[ML confidence](#)

[ML confidence threshold](#)

[Data](#)

[Data-driven](#)

[Data bias](#)

[Data cleaning](#)

[ML decision tree](#)

[ML decision tree node](#)

[ML explainability](#)

[ML feature](#)

[Generative AI](#)

[ML label](#)

[Machine learning](#)

[ML model](#)

[ML model card](#)

[ML prediction](#)

[Reinforcement learning](#)

[Rule-based](#)

[ML test data](#)

[ML training](#)

[ML training data](#)

[Societal bias](#)

[Supervised learning](#)

[Unsupervised learning](#)

ML accuracy

Accuracy refers to how correct something is. In **machine learning (ML)**, accuracy is a way of measuring how often an ML **model** is making a correct **prediction**. For example, a **classification** model is designed to classify apples. From 100 images of apples, 90 are classified correctly. The classification accuracy of the model is 90%. Accuracy is one way to evaluate ML models. Most often, accuracy is used along with other measures to evaluate the quality of a model.

Artificial intelligence

Artificial intelligence (AI) is the design and study of systems that appear to mimic intelligent behaviour. Some AI applications are based on rules. More often now, AI applications are built using **machine learning** that is said to 'learn' from examples in the form of **data**. For example, some AI applications are built to answer questions or help diagnose illnesses. Other AI applications could be built for harmful purposes, such as spreading fake news. AI applications do not think. AI applications are built to carry out tasks in a way that appears to be intelligent.

Ukunemba kwe-ML

Ukunemba kubhekiswe ekutheni iyiqiniso kangakanani into **Ekufundweni komshini (ML)**, ukunemba kuyindlela yokulinganisa ukuthi i-ML **imodeli** yenza kangaki **ukubikezela** okulungile. Isibonelo, imodeli engu- iklanyelwe ukuhlukanisa ama-apula. Kusuka ezithombeni eziyi-100 zama-apula, ezingama-90 zihlukaniswa ngendlela efanele. Ngokuvamile, ukunemba kusetshenziswa kanye nezinye izinyathelo zokuhlola ikhwalithi yemodeli. Ukunemba kungenye yezindlela zokuhlola amamodeli e-ML. Ngokuvamile, ukunemba kusetshenziswa kanye nezinye izinyathelo zokuhlola ikhwalithi yemodeli.

Ukuhlakanipha okungekhona okwangempela

I-Artificial intelligence (AI) idizayini nocwaningo lwezinhlelo ezibonakala zilingisa ukuziphatha okuhlakaniphile. Ezinye izinhlelo zokusebenza kwe-AI zisekelwe emibandela Kaningi manje, izinhlelo zokusebenza ze-AI zakhiwa kusetshenziswa u- **umshini wokufunda** okuthiwa 'ukufunda' ezibonelweni ngendlela **yedatha**. Isibonelo, ezinye izinhlelo zokusebenza ze-AI zakhelwe ukuphendula imibuzo noma ukusiza ukuxilonga izifo. Ezinye izinhlelo zokusebenza ze-AI zingakhelwa izinjongo eziyingozi, njengokusabalalisa izindaba ezingamanga. Izinhlelo zokusebenza ze-AI azicabangi. Izinhlelo zokusebenza ze-AI zakhelwe ukwenza imisebenzi ngendlela ebonakala ihlakaniphile.

AI literacy

AI literacy is a set of competencies and ways of thinking that allow people to meaningfully engage with **artificial intelligence (AI)** applications, as well as in situations where AI applications are used around them. Such competencies include understanding AI, being involved in developing AI systems, and having informed opinions on the ways in which AI systems are used in the world. For example, a person uses AI literacy when they assess the accuracy of the information provided by an AI chatbot application. As well as different ways of engaging with AI applications, AI literacy includes people's potential to actively participate in deciding how AI systems might be used around them

AI project lifecycle

The **artificial intelligence (AI)** project lifecycle refers to the different steps it might take to design and build a **machine learning (ML) model**. The steps include defining the problem, preparing the **data**, **training** the model, testing the model, evaluating the model, and explaining the model. For example, an ML model is designed to generate new song playlists. An ML developer might first consider what type of playlist they want to create. Next, they might collect and prepare song data. The ML model is trained and tested with the song data. The ML model is evaluated to see if it works as expected. Finally, the ML model is explained so that others can use it. Usually, the AI project lifecycle steps are used iteratively rather than one after the other. The AI project lifecycle is a series of iterative steps used to build and improve an ML model.

Ukwazi ukufunda nokubhala kwe-AI

I-AI literacy iqoqo lamakhono nezindlela zokucabanga ezivumela abantu ukuthi bazibandakanye ngokuphusile **nobuhlakani bokwenziwa (AI)** izicelo ezisetshenziswa eduze kwazo lapho AI esetshenziswa ezimweni lapho izicelo zisetshenziswa khona. Amakhono anjalo ahlanganisa ukuqonda i-AI, ukubamba iqhaza ekuthuthukiseni izinhlelo ze-AI, kanye nokuba nemibono enolwazi ngezindlela amasistimu e-AI asetshenziswa ngayo emhlabeni. Isibonelo, umuntu usebenzisa i-AI ukufunda nokubhala lapho ehlola ukunemba kolwazi olunikezwa uhlelo lokusebenza lwengxoxo ye-AI. Kanye nezindlela ezahlukene zokusebenzisana nezinhlelo ze-AI, ulwazi lokufunda nokubhala lwe-AI luhlanganisa amandla abantu okubamba iqhaza ekunqumeni ukuthi izinhlelo ze-AI zingasetshenziswa kanjani eduze kwabo.

Umjikelezo wokuphila wephrojekthi ye-AI

I- **ubuhlakani bokwenziwa (AI)** umjikelezo wempilo wephrojekthi isho izinyathelo ezihlukene engazithatha ukuze idizayine futhi yakhe umshini wokufunda womshini ongu- **(ML) imodeli**. Izinyathelo zihlanganisa ukuchaza inkinga, ukulungisa **idatha, ukuqeqeshwa imodeli**, ukuhlola imodeli, ukuhlola imodeli, nokuchaza imodeli. Isibonelo, imodeli ye-ML yakhelwe ukwenza uhlu olusha lwezingoma. Umthuthukisi we-ML angase acabange kuqala ukuthi yiluphi uhlobo lohlu lwadlalwayo afuna ukuludala. Okulandelayo, bangase baqoqe futhi balungiselele idatha yengoma. Imodeli ye-ML iqeqeshiwe futhi ihlolwe ngedatha yengoma. Imodeli ye-ML iyahlolwa ukuze kubonakale ukuthi isebenza ngendlela elindelekile yini. Ekugcineni, imodeli ye-ML iyachazwa ukuze abanye bakwazi ukuyisebenzisa. Imvamisa, izinyathelo zomjikelezo wokuphila wephrojekthi ye-AI zisetshenziswa ngokuphindaphindiwe esikhundleni sokunye ngemva kokunye.

Umjikelezo wempilo wephrojekthi ye-AI uchungechunge lwezinyathelo eziphindaphindwayo ezisetshenziselwa ukwakha nokuthuthukisa imodeli ye-ML.

Bias

Bias refers to a preference for or against something. For example, a student might prefer English lessons to maths lessons and spend more time on their English homework. In other words, they have a bias towards the subject of English. There are many types of bias, including **societal bias** and **data bias**. **Machine learning (ML)** developers have to think carefully about whether the **data** they are using to **train ML models** is biased or not. Being biased can result in giving an advantage to a person, group, or set of ideas or beliefs compared with another.

ML class

To **train classification models**, **machine learning (ML)** developers organise the **data** into predefined groups called classes. Classes are defined in advance based on what people find useful to group things into. Imagine an ML application designed to identify fruits in a supermarket. The data might be organised in classes of apples, bananas, oranges, blueberries, etc. A class is a group of things that classification models use to identify similarities in the data.

ML classification

Classification refers to the task of assigning things into predefined groups, called **classes**. Classes are defined in advance based on what people find useful to group things into. An

Ukuchema

Ukuchema kubhekisela ekukhetheni okuthile noma ngokumelene nento ethile. Isibonelo, umfundi angase akhethe izifundo zesiNgesi kunezifundo zezibalo futhi achithe isikhathi esiningi emsebenzini wakhe wasekhaya wesiNgesi. Ngamanye amazwi, banokwenzelela esifundweni sesiNgesi. Kunezinhlabo eziningi zokuchema, okuhlanganisa **ukuchema komphakathi** kanye **ukuchema kwedatha**. **Ukufunda ngomshini (ML)** onjiniyela kufanele bacabange kahle ngokuthi **idatha** abayisebenzisa **ukuqeqesha ML amamodeli** achemile noma cha. Ukuchema kungaphumela ekunikezeni inzuzo kumuntu, iqembu, noma iqoqo lemibono noma izinkolelo uma kuqhathaniswa nenye.

Ikilasi le-ML

Ukufunda ngomshini (ML) onjiniyela kufanele bacabange kahle ngokuthi **idatha** abayisebenzisa **ukuqeqesha ML amamodeli** achemile noma cha. Amakilasi achazwa kusengaphambili ngokusekelwe kulokho abantu abakuthola kuwusizo ukuhlanganisa izinto zibe. Cabanga ngohlelo lwe-ML oluklanyelwe ukuhlonza izithelo esuphamakethe. Idatha ingase ihlelwe ngamakilasi ama-apula, ubhanana, amawolintshi, amajikijolo aluhlaza okwesibhakabhaka, njll. Ikilasi iqoqo lezinto amamodeli okuhlukanisa azisebenzisayo ukukhomba ukufana kudatha.

Ukuhlukaniswa kwe-ML

Ukuhlelwa kubhekisela emsebenzini wokwabela izinto emaqenjini achazwe ngaphambilini, abizwa ngokuthi **amakilasi**. Amakilasi achazwa kusengaphambili ngokusekelwe kulokho abantu

example of a classification problem is sentiment analysis of song reviews. A **machine learning (ML)** classification **model** is **trained** with reviews **labelled** by people as 'positive' or 'negative'. After training, the ML model can be used to **predict** whether a new review should be classified as either 'positive' or 'negative'. A classification model predicts one or more class labels. A classification approach is useful for solving problems where the answer falls into predefined groups.

Computer vision

Computer vision is the study of systems designed to process information from digital images or videos. Computer vision application examples include facial recognition, medical imaging, and video surveillance. For example, computer vision is used in the design of self-driving cars to detect and avoid crashing into objects. Most often, computer vision systems use **machine learning models** to identify patterns in the image and video data. Computer vision systems are useful where information from digital images or videos can be used to solve a problem.

ML confidence

Confidence refers to how certain something is. In **machine learning (ML)**, confidence is a way of measuring the certainty of a **prediction**. For example, a **classification model** is designed to predict if it will rain tomorrow. The model predicts with 90% confidence that there will be rain tomorrow. In other words, there is a 90% certainty that tomorrow it will rain. Using confidence to measure the certainty of

abakuthola kuwusizo ukuhlanganisa izinto kukho. Isibonelo senkinga yokuhlukanisa ukuhlaziya imizwa yokubuyekwezwa kwengoma. A **ukufunda ngomshini (ML)** ukuhlukaniswa **imodeli oqeqeshiwe** ngezibuyekozo **ezilebulwe ngokuthi** ngabantu 'njengemibi' noma 'engalungile'. Ngemva kokuqeqeshwa, imodeli ye-ML ingase isetshenziselwe **ukubikezela** ukuthi isibuyekozo esisha kufanele sifakwe kusigaba 'njengokuhle' noma 'okubi'. Imodeli yokuhlukanisa ibikezela ilebula lekilasi elilodwa noma amaningi. Indlela yokuhlukanisa iwusizo ekuxazululeni izinkinga lapho impendulo iwela emaqenjini achazwe ngaphambilini.

Umbono wekhompyutha

Umbono wekhompyutha wucwaningo lwezinhlelo eziklanyelwe ukucubungula ulwazi oluvela ezithombeni zedijithali noma amavidiyo. Izibonelo zohlelo lokusebenza lombono wekhompyutha zifaka ukubonwa kobuso, ukuthwebula isithombe sezokwelapha, nokubhekwa kwevidiyo. Isibonelo, ukubona ngekhompyutha kusetshenziswa ekwakhiweni kwezimoto ezizishayelayo ukuze zibone futhi zigweme ukushayisana nezinto. Ngokuvamile, amasistimu okubona ekhompuyutha asebenzisa **ukufunda komshini amamodeli** ukuze ahlonze amaphethini kudatha yesithombe nevidiyo. Izinhlelo zokubona ngekhompyutha ziwusizo lapho ulwazi oluvela ezithombeni zedijithali noma amavidiyo lungasetshenziswa ukuxazulula inkinga.

ML ukuzethemba

Ukuzethemba kusho ukuthi into iqinisekile kangakanani. Ku- **yokufunda ngomshini (ML)**, ukuzethemba kuyindlela yokulinganisa isiqiniseko sokubikezela . Isibonelo, imodeli engu- **imodeli** iklanyelwe ukubikezela ukuthi lizona yini kusasa. Lo modeli uqagela ngokuzethemba okungu-90% ukuthi kuzoba nemvula kusasa. Ngamanye amazwi, kunesiqiniseko esingu-90% sokuthi kusasa

predictions helps to evaluate the quality of an ML model.

ML confidence threshold

Confidence threshold refers to a value set as a level of acceptance for a **machine learning (ML) model's predictions**. The confidence threshold is chosen by the ML developer when designing the ML model. For example, a prediction is generated by an ML model with 50% **confidence** that there will be a snowstorm tomorrow. However, if the confidence threshold is set to 60%, that prediction will be considered inaccurate. In other words, unless the prediction's confidence is 60% or higher, it will not be accepted as **accurate**. The value is set according to the nature of the problem being solved, with medical diagnosis predictions requiring a higher confidence threshold than song recommendations. The choice of threshold value determines what is an acceptable level of prediction confidence.

Data

Data refers to values, measurements, facts, or observations in a form suitable to be processed by computer programs. There are many types of data, such as text, image, or sound. An example of text data is messages people exchange with their friends on digital devices. In **machine learning (ML)**, data represents the examples ML **models** are **trained** with. Collecting, **cleaning**, and structuring vast amounts of data are an essential part of designing ML models.

lizokuna. Ukusebenzisa ukuzethemba ukulinganisa isiqiniseko sezibikezelo kusiza ukuhlola ikhwalithi yemodeli ye-ML.

ML umkhawulo wokuzethemba

Umkhawulo wokuzethemba ubhekisela enanini elimisiwe njengezinga lokwamukelwa kokubikezela komshini (**ML**) **imodeli izibikezelo**. Umkhawulo wokuzethemba ukhethwa unjiniyela we-ML lapho aklama imodeli ye-ML. Isibonelo, ukuqagela kukhiqizwa imodeli ye-ML enokuzithemba okungu-50% ukuthi kuzoba nesiphepho seqhwa kusasa. Kodwa-ke, uma umkhawulo wokuzethemba usethelwe ku-60%, lokho kubikezela kuzothathwa njengokunganembile. Ngamanye amazwi, ngaphandle kokuthi ukuzethemba kwesibikezelo kungu-60% noma ngaphezulu, ngeke kwamukelwe njengokunembile. Inani lisethwa ngokuya ngohlobo lwenkinga exazululekayo, ngokubikezela kokuxilongwa kwezokwelapha okudinga umkhawulo wokuzithemba ophakeme kunezincomo zengoma. Ukukhethwa kwevelu yomkhawulo kunquma ukuthi iliphi izinga elamukelekayo lokuqiniseka kokuqagela.

Idatha

Idatha isho amanani, izilinganiso, amaqiniso, noma okubonwayo ngendlela efanele ukucutshungulwa izinhlelo zekhompuyutha. Kunezinhlobo eziningi zedatha, njengombhalo, isithombe, noma umsindo. Isibonelo sedatha yombhalo imilayezo abantu abashintshana ngayo nabangani babo kumadivayisi edijithali. Ku- **yokufunda komshini (ML)**, idatha imelela izibonelo ze-ML **amamodeli aqeqeshiwe** nge. Ukuqoqa, **cleaning**, kanye nokuhlela amanani amakhulu edatha kuyingxenye ebalulekile yokulama amamodeli e-ML.

Data-driven

Data-driven is a way of designing systems using **data** instead of step-by-step instructions. For example, knowing what causes certain diseases is hard, but there is lots of example data. Therefore, designers use the medical data of people affected by the disease to diagnose it. Data-driven systems stand in contrast with **rule-based** systems. Data-driven systems are suitable for solving problems where rules that cover every situation are difficult to produce. Instead, enough examples can be collected to inform a solution.

Data bias

Data bias refers to **bias** reflected in the **data** used to **train machine learning (ML) models**. Data bias can lead to ML models being trained to generate biased **predictions**. For example, some facial recognition models are biased against faces of certain skin tones, because the ML models have been trained using mostly images of faces of one skin tone. There are several potential sources of data bias. These include incomplete data, and data that reflects **societal bias**. Detecting data bias is important to avoid ML models generating biased predictions.

Data cleaning

Data cleaning is a step in preparing the **data** used to **train a machine learning (ML) model**. Data cleaning involves identifying and correcting errors in the data. For example, fixing typing errors or removing duplicates in text data are two simple data cleaning tasks. Most often, data is messy and requires more complex cleaning before being used to train ML models. There are many ways of cleaning data

Kuqhutshwa idatha

Okushayelwa yidatha kuyindlela yokuklama amasistimu usebenzisa **idatha** esikhundleni semiyalelo yesinyathelo nesinyathelo. Isibonelo, ukwazi ukuthi yini ebangela izifo ezithile kunzima, kodwa kunedatha eminingi yesibonelo. Ngakho-ke, abaklami basebenzisa idatha yezokwelapha yabantu abathintekile yilesi sifo ukuze bayixilonge. Amasistimu aqhutshwa yidatha ame ngokungafani nezinhlalo ezingu-ezisekelwe kumthetho. Amasistimu aqhutshwa yidatha afanele ukuxazulula izinkinga lapho imithetho ehlanganisa zonke izimo kunzima ukuyikhiqiza. Kunalokho, kungaqoqwa izibonelo ezanele ukwazisa isisombululo.

Ukuhlanza idatha

Ukuhlanza idatha kuyisinyathelo sokulungiselela **idatha** esetshenziselwa **isitimela** a **ukufunda ngomshini (ML) imodeli**. Ukuhlanza idatha kuhilela ukuhlonza nokulungisa amaphutha kudatha. Isibonelo, ukulungisa amaphutha okuthayipha noma ukususa izimpinda kudatha yombhalo kuyimisebenzi emibili elula yokuhlanza idatha. Ngokuvamile, idatha ingcolile futhi idinga ukuhlanzwa okuyinkimbinkimbi ngaphambi kokuba isetshenziselwe ukuqeqesha amamodeli e-ML. Kunezindlela eziningi zokuhlanza idatha kuye ngenkinga kanye nohlobo lwedatha. Ukusebenzisa idatha ehlanzekile kubalulekile ekwakheni amamodeli angu- **anembile** ML.

Ukuhlanza idatha

Ukuhlanza idatha kuyisinyathelo sokulungiselela **idatha** esetshenziselwa **isitimela** a **ukufunda ngomshini (ML) imodeli**. Ukuhlanza idatha kuhilela ukuhlonza nokulungisa amaphutha kudatha. Isibonelo, ukulungisa amaphutha okuthayipha noma ukususa izimpinda kudatha yombhalo kuyimisebenzi emibili elula yokuhlanza idatha. Ngokuvamile, idatha ingcolile futhi idinga ukuhlanzwa

depending on the problem and data type. Using clean data is essential for building **accurate** ML models.

ML decision tree

A **machine learning (ML)** decision tree is one type of ML **model**. ML developers use decision trees to structure a set of conditions based on which a **prediction** can be made. The conditions are derived from **features** in the **data**. For example, a decision tree might be used to build a movie recommendation system. The decision tree model is **trained** using many people's movie preferences. During training, conditions are generated based on features such as the movie type, length, or lead actor. The ML model generates a prediction of which movie someone might like to watch next, based on how their preferences follow the conditions in the model. The structure of ML decision trees is generated based on vast amounts of data, and may change if retrained with different data.

ML decision tree node

A **machine learning (ML) decision tree** is made up of nodes. The nodes are linked to form a structure based on which a **prediction** can be generated. There are two types of nodes: decision nodes and leaf nodes. For example, consider a decision tree built to predict the types of stars in our solar system. The decision nodes represent **data features** such as the temperature, radius, colour, or brightness of stars. The leaf nodes represent the star types in the form of prediction **labels**, such as 'Red Dwarf', 'White Dwarf', or 'Brown Dwarf'. Decision

okuyinkimbinkimbi ngaphambi kokuba isetshenziselwe ukuqeqesha amamodeli e-ML. Kunezindlela eziningi zokuhlaza idatha kuye ngenkinga kanye nohlobo lwedatha. Ukusebenzisa idatha ehlanzekile kubalulekile ekwakheni amamodeli angu- **anembile** ML.

Isihlahla sesinqumo se-ML

I- **yokufunda ngomshini (ML)** isihlahla sesinqumo uhlobo olulodwa lwe-ML **imodeli**. Onjiniyela be-ML basebenzisa izihlahla zesinqumo ukuze bakhe isethi yezimo ezisuselwe lapho **isibikezelo** singenziwa. Izimo zithathwe kokuthi **izici** kudatha engu- . Isibonelo, isihlahla sesinqumo singase sisetshenziswe ukwakha isistimu yokuncoma imuvi. Imodeli yesihlahla sesinqumo **iqeqeshwe** kusetshenziswa izintandokazi zamamuvi zabantu abaningi. Phakathi nokuqeqeshwa, izimo zikhiqizwa ngokusekelwe ezicini ezifana nohlobo lwe-movie, ubude, noma umlingisi oholayo. Imodeli ye-ML ikhiqiza ukuqagela kokuthi iyiphi ifilimu omunye angathanda ukuyibuka ngokulandelayo, ngokusekelwe endleleni abakukhethayo okulandela ngayo izimo zemodeli. Isakhiwo sezihlahla zesinqumo se-ML sikhiqizwa ngokusekelwe enanini elikhulu ledatha, futhi singashintsha uma siqeqeshwa kabusha ngedatha ehlukile.

Inodi yesihlahla sesinqumo se-ML

I- **yokufunda ngomshini (ML)** isihlahla **sesinqumo** sakhawe ngamanodi. Amanodi axhunywe ukwakha isakhiwo esisekelwe lapho **isibikezelo** singakhiqizwa. Kunezinhlango ezimbili zama-node: izindawo zokunquma kanye nama-leaf nodes. Ngokwesibonelo, cabanga ngesihlahla sesinqumo esakhelwe ukubikezela izinhlobo zezinkanyezi esimisweni sethu sonozungezilanga. Amanodi wesinqumo amele **idatha izici** njengezinga lokushisa, irediyasi, umbala, noma ukukhanya kwezinkanyezi.

tree nodes form the structure required for an ML **model** to generate a prediction.

ML explainability

Explainability refers to the extent to which something can be understood. In **machine learning (ML)**, explainability helps people understand how a **prediction** was produced. For example, ML **decision tree models** are explainable because the **nodes** can be analysed in a way that people can understand. Most ML models are not fully explainable, and some are more explainable than others. Increasing the explainability of a model can help fix problems and fight **bias**.

ML feature

In **machine learning (ML)**, features represent characteristics associated with the **data**. For example, a music data set might have features such as tempo, pitch, energy, or genre. Some ML **models** are **trained** using features to find similarities in the data. Others **predict** new features in the data that people cannot easily observe. Choosing what features to use when training an ML model can make a difference to how well the model works.

Generative AI

Generative AI is a type of **artificial intelligence (AI)** designed to generate content, such as text, images, or sound. There are lots of applications that use generative AI, including the production of art or music, or generating text for chatbots. For example, generative AI art applications can generate an image based on a prompt, such as "make me a picture of a dragon reading a book".

Amanodi eqabunga amele izinhlobo zenkanyezi ngendlela yokubikezela **amalebula**, njengokuthi 'Red Dwarf', 'White Dwarf', noma 'Brown Dwarf'. Amanodi esihlahla sesinqumo akha isakhiwo esidingekayo kumodeli ye-ML ukuze kwenziwe isibikezelo.

ML ukuchaza

Ukuchazwa kubhekisela ezingeni into engaqondwa ngayo. Ku- **yokufunda komshini (ML)**, ukuchaza kusiza abantu baqonde ukuthi **ukubikezela** kwakhiqizwa kanjani. Isibonelo, i-ML **isihlahla sesinqumo amamodeli** ayachazeka ngoba **nodes** angahlaziywa ngendlela abantu abangayiqonda. Amamodeli amaningi e-ML awachazeki ngokugcwele, futhi amanye achazeka kakhulu kunamanye. Ukukhulisa ukuchazeka kwemodeli kungasiza ukulungisa izinkinga futhi kulwe **bias**.

Isici se-ML

Ku- **yokufunda komshini (ML)**, izici zimelela izici ezihlobene nedatha engu- . Isibonelo, isethi yedatha yomculo ingase ibe nezici ezifana ne-tempo, iphimbo, amandla, noma uhlobo. Amanye amamodeli e-ML **aqeqeshiwe** asebenzisa izici ukuze athole ukufana kudatha. Abanye **babikezela** izici ezintsha kudatha abantu abangakwazi ukuzibona kalula. Ukukhetha ukuthi iziphi izici ongazisebenzisa lapho uqeqesha imodeli ye-ML kungenza umehluko endleleni imodeli esebenza kahle ngayo.

I-Generative AI

I-Generative AI iwuhlobo lwe- **aubuhlakani bokufakelwa (AI)** oklanyelwe ukukhiqiza okuqukethwe, okufana nombhalo, izithombe, noma umsindo. Kunezinhlalo zokusebenza eziningi ezisebenzisa i-AI ekhiqizayo, okuhlenganisa ukukhiqizwa kobuciko noma umculo, noma ukukhiqiza umbhalo wama-chatbots. Isibonelo, izinhlelo

Generative AI art is created using **machine learning models trained** on millions of images of existing art. The resulting images may replicate the style of an artist, without the original artist knowing or approving. Generative AI applications are becoming more and more commonplace and often you cannot tell that generative AI is being used.

ML label

In **supervised learning**, a **machine learning (ML) model** is **trained** using labelled **data**. Each piece of data is annotated with one or more labels that provide information about that data. For example, an ML model is designed to identify bird sounds. Each sound is labelled with the name of the bird that made the sound. The ML model is trained with the labelled sounds and can **predict** the label (bird name) of new sounds. Data is most often labelled by people to provide accurate examples to train ML models with.

Machine learning

Machine learning (ML) is an approach used to design and build **artificial intelligence (AI)** systems. ML is said to 'learn' by using examples in the form of **data**, instead of executing step-by-step instructions. In other words, ML applications are **data-driven**. For example, an ML application is used to recognise speech. It is based on many examples of people speaking in different accents and tones of voice. Other ML applications include identifying objects in images or playing complex games. Each ML application is designed to solve a specific problem.

zokusebenza zobuciko ze-AI ezikhiqizayo zingakha isithombe esisekelwe ekwazisweni, njengokuthi "ngenzele isithombe sikadrako ofunda incwadi". Ubuciko bokukhiqiza be-AI budalwa kusetshenziswa u- **ukufunda komshini amamodeli aqeqeshiwe** ngezigididi zezithombe zobuciko obukhona. Izithombe eziwumphumela zingase ziphindaphinde isitayela seciko, ngaphandle kokuthi iciko loqobo lazi noma livume. Izicelo ze-Generative AI ziya ngokuya ziba yinto evamile futhi ngokuvamile awukwazi ukusho ukuthi i-generative AI isetshenziswa.

ML ilebula

Ekufundeni okugadiwe, imodeli yokufunda ngomshini (ML) iqeqeshiwe kusetshenziswa okulebulwe kokuthi **idatha**. Ucezu ngalunye lwedatha lufakwe ilebula elilodwa noma ngaphezulu anikeza ulwazi mayelana naleyo datha. Isibonelo, imodeli ye-ML yakhelwe ukukhomba imisindo yezinyoni. Umsindo ngamunye ubhalwe igama lenyoni eyenza umsindo. Imodeli ye-ML iqeqeshwe ngemisindo enelebula futhi **ingaqagela** ilebula (igama lenyoni) yemisindo emisha. Idatha ivame ukulebula abantu ukuze banikeze izibonelo ezinembile zokuqeqesha amamodeli e-ML.

Ukufunda ngomshini

Ukufunda ngomshini (ML) kuyindlela esetshenziselwa ukuklama nokwakha **ubuhlakani bokufakelwa (AI)** amasistimu. I-ML kuthiwa 'ifunda' ngokusebenzisa izibonelo ngendlela **idatha**, esikhundleni sokwenza imiyalelo yesinyathelo nesinyathelo. Ngamanye amazwi, izinhlelo zokusebenza ze-ML **ziqhutshwa idatha**. Isibonelo, uhlelo lwe-ML lusetshenziselwa ukubona inkulumbo. Isekelwe ezibonelweni eziningi zabantu abakhuluma ngezindlela ezihlukahlukene zokuphimsela namathoni ezwi. Ezinye izinhlelo zokusebenza ze-ML zihlanganisa ukukhomba izinto ezithombeni noma ukudlala imidlalo eyinkimbinkimbi. Uhlelo ngalunye lwe-ML luklanyelwe ukuxazulula inkinga ethile.

ML model

A **machine learning (ML)** model is used by an ML application to complete a task or solve a problem. The ML model is a representation of the problem being solved. ML developers use vast amounts of **data** representative of a specific problem to **train** a model to detect patterns. The result of the training is a model, which is used to make **predictions** about new data in the same context. For example, self-driving cars are built using ML models to predict when to stop. The models are trained using millions of examples of situations in which cars need to stop. There are many different types of models, using different kinds of data, and different ways of training the models. All ML models are trained to detect patterns in the **training data** to make predictions about new data.

ML model card

A **machine learning (ML)** model card is a way of documenting essential information about ML **models** in a structured way. ML model cards are written by ML developers for both experts and non-experts. For example, an ML application is developed to translate different languages, such as from Arabic to French and vice versa. A model card includes information on the model's translation **accuracy**, as well as the model's performance around jargon, slang, and dialects. Other model card information might include the type of ML model, different performance indicators, and even known **bias**. Model cards are created during the explanation stage of the **AI project lifecycle** to expose information on the model's capabilities and limitations, in a way that is easy to understand.

Imodeli ye-ML

Imodeli engu- **yokufunda komshini (ML)** isetshenziswa uhlelo lokusebenza lwe-ML ukuqedela umsebenzi noma ukuxazulula inkinga. Imodeli ye-ML iwumfanekiso wenkinga exazululwayo. Onjiniyela be-ML basebenzisa inani elikhulu ledatha engu- ummeleli wenkinga ethile ukuze **isitimela** imodeli ukuze bathole amaphethini. Umphumela wokuqeqeshwa uyimodeli, esetshenziselwa ukwenza **izibikezelo** mayelana nedatha entsha kumongo ofanayo. Isibonelo, izimoto ezizishayelayo zakhiwe kusetshenziswa amamodeli e-ML ukubikezela ukuthi kufanele zime nini. Amamodeli aqeqeshwa kusetshenziswa izigidi zezibonelo zezimo lapho izimoto zidinga ukuma khona. Kunezinhlango eziningi ezahlukene zamamodeli, asebenzisa izinhlobo ezahlukene zedatha, nezindlela ezahlukene zokuqeqesha amamodeli. Wonke amamodeli e-ML aqeqeshelwe ukuthola amaphethini kudatha yokuqeqeshwa engu- ukuze enze izibikezelo mayelana nedatha entsha.

Ikhadi lemodeli ye-ML

I- **yokufunda ngomshini (ML)** imodeli yekhadi iyindlela yokubhala ulwazi olubalulekile mayelana namamodeli e-ML ngendlela ehlelekile. Amakhadi emodeli e-ML abhalwa onjiniyela be-ML kubo bobabili ochwepheshe nabangebona ochwepheshe. Isibonelo, uhlelo lokusebenza lwe-ML lwenzelwe ukuhumusha izilimi ezahlukene, ezifana nokusuka kusi-Arabhu kuye kusiFulentshi futhi ngokuphambene nalokho. Ikhadi eliyimodeli lifaka phakathi ulwazi lokuhumusha kwemodeli **ukunemba**, kanye nokusebenza kwemodeli ku-jargon, isitsotsi, nezilimi zesigodi. Olunye ulwazi lwekhadi lemodeli lungase luhlanganise uhlobo lwemodeli ye-ML, izinkomba zokusebenza ezihlukile, ngisho nokwaziwa ukuthi **bias**. Amakhadi angamamodeli akhiwa phakathi nesigaba sencazelo somjikelezo wokuphila wephrojekthi engu- **AI** ukuze kudalule ulwazi lwamakhono nemikhawulo yemodeli, ngendlela eqondakala kalula.

ML prediction

Machine learning (ML) models are trained to make predictions. The prediction produced by an ML model suggests what the **data** represents, or what might be useful for a task. For example, an ML developer might train a model to predict which movie someone might want to watch next, based on their viewing habits. The model will generate a prediction after being trained on the movie choices of lots of people. The main job of an ML model is to make predictions. All ML models make predictions, even if in some cases these predictions are not obvious to the user.

ML ukubikezela

Ukufunda ngomshini (ML) amamodeli aqeqeshiwe ukwenza izibikezelo. Isibikezelo esikhiqizwe imodeli ye-ML siphakamisa ukuthi **idatha** imele ini, noma yini engase ibe usizo emsebenzini. Isibonelo, unjiniyela we-ML angase aqeqeshe imodeli ukubikezela ukuthi iyiphi imuvi omunye umuntu angase afune ukuyibuka ngokulandelayo, ngokusekelwe emikhubeni yakhe yokubuka. Imodeli izokhiqiza isibikezelo ngemuva kokuqeqeshwa ekukhethweni kwefilimu yabantu abaningi. Umsebenzi oyinhloko wemodeli ye-ML ukwenza izibikezelo. Wonke amamodeli e-ML enza izibikezelo, ngisho noma kwezinye izimo lezi zibikezelo zingabonakali kumsebenzisi.

Reinforcement learning

Reinforcement learning is one approach used to **train machine learning (ML) models**. This approach is used to solve problems with a clear goal, where rewards and penalties are used to reach that goal. Reinforcement learning approaches are used in the design of self-driving cars or to play complicated games. For example, a reinforcement learning model might be used to design an application to play chess. The model is trained to **predict** the moves that maximise the rewards and minimise the penalties towards winning. Reinforcement learning approaches use rewards and penalties to identify strategies of reaching a set goal.

Ukufunda kokuqinisa

Ukufunda kokuqinisa indlela eyodwa esetshenziselwa **isitimela ukufunda ngomshini (ML) amamodeli**. Le ndlela isetshenziselwa ukuxazulula izinkinga ngomgomo ocacile, lapho imivuzo nezinhlawulo zisetshenziselwa ukufinyelela lowo mgomo. Izindlela zokufunda zokuqinisa zisetshenziswa ekwakhweni kwezimoto ezizishayelayo noma ukudlala imidlalo enzima. Isibonelo, imodeli yokufunda yokuqinisa ingase isetshenziselwe ukuklama uhlelo lokusebenza lokudlala i-chess. Imodeli iqeqeshelwe **ukubikezela** iminyakazo ekhulisa imiklomelo futhi inciphise izinhlawulo eziholela ekuwineni. Izindlela zokufunda zokuqinisa zisebenzisa imivuzo nezinhlawulo ukuhlonza amasu okufinyelela umgomo omisiwe.

Rule-based

Rule-based is a way of designing systems using a set of predefined rules. For example, a noughts and crosses (tic-tac-toe) program is designed using rules of what moves to make in order to try to win the game. The rules are defined by humans who are usually experts in the domain of the problem being solved.

Kusekelwe emthethweni

Okusekelwe kumthetho kuyindlela yokuklama amasistimu usebenzisa isethi yemithetho echazwe ngaphambilini. Isibonelo, uhlelo lwe-noughts and crosses (tic-tac-toe) ludizayinelwe kusetshenziswa imithetho

Artificial intelligence (AI) systems built using a rule-based approach are also known as 'good old-fashioned AI'. Rule-based systems stand in contrast with **data-driven** systems where **data** is used as examples of how to solve the problem. Rule-based systems are useful for solving problems where rules that cover most situations can be produced and followed.

yalokho okwenziwayo ukuze uzame ukuwina igeyimu. Imithetho ichazwa ngabantu abavame ukuba ngochwepheshe emkhakheni wenkinga exazululekayo. **I-Artificial intelligence (AI)** izinhlelo ezakhiwe kusetshenziswa indlela esuselwe kumthetho nazo zaziwa ngokuthi 'i-AI eyisidala sakudala'. Amasistimu asekelwe kumthetho ahlukile ku- aqhutshwa idatha amasistimu lapho **idatha** isetshenziswa njengezibonelo zendlela yokuxazulula inkinga. Izinhlelo ezisekelwe emithethweni ziwusizo ekuxazululeni izinkinga lapho imithetho ehlanganisa izimo eziningi ingakhiqizwa futhi ilandelwe.

ML test data

In **machine learning (ML)**, test data refers to the **data** used to test and evaluate **trained ML models**. For example, an ML model is trained to **predict** a diagnosis of a medical condition. Before being used in real-life situations, the model is tested and evaluated using test data. The test data is separate from the **training data** an ML model is trained with. Test data is used to measure the performance of an ML model with examples beyond the training data.

Idatha yokuhlola ye-ML

Ekufundweni komshini (ML), idatha yokuhlola ibhekisela **kudatha** esetshenziselwa ukuhlola nokuhlola **amamodeli ML amamodeli**. Isibonelo, imodeli ye-ML iqeqeshelwe **ukubikezela** ukuxilongwa kwesimo sezempilo. Ngaphambi kokusetshenziswa ezimweni zangempela, imodeli iyahlolwa futhi ihlolwe kusetshenziswa idatha yokuhlola. Idatha yokuhlola ihlukile kudatha yokuqeqeshwa engu- imodeli ye-ML eqeqeshwa ngayo. Idatha yokuhlola isetshenziselwa ukukala ukusebenza kwemodeli ye-ML ngezibonelo ezingaphezu kwedatha yokuqeqeshwa.

ML training

Machine learning (ML) models are trained using examples in the form of **data** to find patterns and make **predictions**. During training, the patterns are fine-tuned to improve predictions. For example, an ML developer might build a model to recommend songs. The ML model will be trained on many people's song choices to find similarities between what different people enjoy listening to. The more diverse song choices the model is trained with, the better the recommended song prediction is likely to be. There are many different ways of training ML models, using different types of data. A developer will choose between the types of training available depending on the problem

Ukuqeqeshwa kwe-ML

Ukufunda ngomshini (ML) amamodeli aqeqeshwa kusetshenziswa izibonelo ngendlela **idatha** ukuze uthole amaphethini nokwenza **izibikezelo**. Ngesikhathi sokuqeqeshwa, amaphethini acutshungulwa kahle ukuze kuthuthukiswe izibikezelo. Isibonelo, umthuthukisi we-ML angase akhe imodeli yokuncoma izingoma. Imodeli ye-ML izoqeqeshwa ekukhetheni izingoma zabantu abaningi ukuze bathole ukufana phakathi kwalokho abantu abahlukahlukene abajabulela ukukulalela. Ukukhetha okuhlukahlukene kwezingoma imodeli eqeqeshwa ngakho, kuzoba ngcono ukubikezela kwengoma enconyiwe. Kunezindlela eziningi ezahlukene

they are trying to solve and the data available to solve it. The quality of training largely depends on the quality of the data used.

ML training data

In **machine learning (ML)**, training data refers to the examples in the form of **data** used to **train ML models**. ML developers build models to work out patterns in the training data, which can be used to generate **predictions** about new data. For example, an ML developer builds a speech recognition application. The training data might include lots of examples of people speaking, in different accents or tones of voice. The more the training data represents reality, the better the model is likely to perform.

Societal bias

Societal bias refers to **bias** held by a large group of people, or by society at large. There are many different types of societal biases, such as racial bias, gender bias, or ethnic bias. An example of gender bias is the idea that women are less well suited to engineering careers than men. **Data** collected from large groups of people could reflect societal biases, resulting in **data bias**. If data that reflects societal bias is used to **train machine learning (ML) models**, this may lead to the models generating biased **predictions**. In ML, it is important to mitigate societal biases reflected in the **training data**, to avoid discriminatory or unjust outcomes.

zokuqeqesha amamodeli e-ML, kusetshenziswa izinhlobo ezahlukene zedatha. Unjiniyela uzokhetha phakathi kwezinhlobo zokuqeqeshwa ezitholakalayo kuye ngenkinga abazama ukuyixazulula kanye nedatha etholakalayo ukuyixazulula. Izinga lokuqeqeshwa lincike kakhulu kwikhwalithi yedatha esetshenziwe.

Idatha yokuqeqeshwa ye-ML

kokuthi **ukufunda ngomshini (ML)**, idatha yokuqeqeshwa isho izibonelo ngendlela **yedatha** esetshenziselwa **ukuqeqesha ML amamodeli**. Onjiniyela be-ML bakha amamodeli ukuze benze amaphethini kudatha yokuqeqeshwa, engasetshenziswa ukukhiqiza **izibikezelo** mayelana nedatha entsha. Isibonelo, umthuthukisi we-ML wakha uhlelo lokusebenza lokuqaphela inkulumo. Idatha yokuqeqeshwa ingase ihlanganise izibonelo eziningi zabantu abakhulumayo, ngamaphimisela ahlukene noma amathoni ezwi. Uma idatha yokuqeqeshwa imelela okungokoqobo, imodeli cishe izosebenza kangcono.

Ukuchema komphakathi

Ukuchema komphakathi kubhekise ku- **bias** ephethwe iqembu elikhulu labantu, noma umphakathi wonkana. Kunezinhlobo eziningi ezahlukene zokuchema komphakathi, njengokucwasa ngokobuhlanga, ukuchema ngobulili, noma ukucwasa ngokobuhlanga. Isibonelo sokuchema ngobulili umbono wokuthi abesifazane abafaneleki kangako emisebenzini yobunjiniyela kunabesilisa. **Idatha** eqoqwe emaqenjini amakhulu abantu ingase ibonise ukuchema komphakathi, okuholela **ukuchema kwedatha**. Uma idatha ebonisa ukuchema komphakathi isetshenziselwa **ukuqeqesha amamodeli wokufunda ngomshini (ML)**, lokhu kungase kuholele kumamodeli akhiqiza **izibikezelo** ezichemile. Ku-ML, kubalulekile ukunciphisa ukuchema komphakathi

okubonakala kudatha yokuqeqeshwa , ukuze kugwenywe imiphumela ebandlululayo noma engenabulungisa.

Supervised learning

Supervised learning is one approach used to **train machine learning (ML) models**. Supervised learning approaches use large amounts of **data labelled** by people with relevant information. One type of supervised learning is **classification**. An example of a classification problem is identifying tigers in the wild. The data consists of many images, with the ones containing tigers labelled as such. The ML model is trained with the labelled images and **predicts** if there is a tiger in those images. Having correctly labelled images allows the developer to know to what extent the predictions of the model are **accurate** and adapt the training of the model. Following that, the ML model can be used to predict if there is a tiger in completely new images. Supervised learning approaches depend on having enough correctly labelled data to produce accurate predictions.

Unsupervised learning

Unsupervised learning is one approach used to **train machine learning (ML) models**. ML developers train unsupervised learning models to organise **data** based on similarities. This process results in finding hidden patterns in the data. One type of unsupervised learning is clustering. An example of a clustering problem is **predicting** how health data can be grouped to help diagnose diseases. These groups are called clusters, which are not known in advance. The ML model can be used to predict if new health data falls into one of the clusters. Unsupervised learning approaches can be useful in solving problems where people may not know what to look for.

Ukufunda okugadiwe

Ukufunda kokuqinisa indlela eyodwa esetshenziselwa **isitimela ukufunda ngomshini (ML) amamodeli**. Izindlela zokufunda ezigadiwe zisebenzisa amanani amakhulu **idatha enelebula elithi** ngabantu abanolwazi olufanele. Olunye uhlobo lokufunda okugadiwe **ukuhlelwa**. Isibonelo senkinga yokuhlukaniswa ngezigaba ukuhlonza amahlosi endle. Idatha iqukethe izithombe eziningi, nalezi eziqukethe amahlosi abhalwe kanjalo. Imodeli ye-ML iqeqeshwe ngezithombe ezilebulwe futhi **ibikezela** uma kukhona ingwe kulezo zithombe. Ukuba nezithombe ezinelebula ngendlela efanele kuvumela umthuthukisi ukuthi azi ukuthi ukuqagela kwemodeli kufinyelele ezingeni elingakanani **kunembile** futhi aguqule ukuqeqeshwa kwemodeli. Ukulandela lokho, imodeli ye-ML ingasetshenziswa ukubikezela uma kukhona ingwe ezithombeni ezintsha ngokuphelele. Izindlela zokufunda ezigadiwe zincike ekubeni nedatha eyanele enelebula ngendlela efanele ukuze kukhiqizwe izibikezelo ezinembile.

Ukufunda okugadiwe


Ukufunda okungagadiwe kuyindlela eyodwa esetshenziselwa **isitimela ukufunda ngomshini (ML) amamodeli**. Onjiniyela be-ML baqeqesha amamodeli okufunda angagadiwe ukuze ahlele **idatha** ngokusekelwe kokufana. Le nqubo iphumela ekutholeni amaphethini afihliwe kudatha. Olunye uhlobo lokufunda olungagadiwe ukuhlanganisa. Isibonelo senkinga yokuhlanganisa **ukubikezela** ukuthi idatha yezempilo ingaqoqwa kanjani ukusiza ukuhlonza izifo. La maqembu abizwa ngokuthi amaqqo, akwaziwa kusenesikhathi. Imodeli ye-ML ingasetshenziswa ukubikezela uma idatha yezempilo entsha iwela kwelinye lamaqqo. Izindlela zokufunda ezingagadiwe

zingaba usizo ekuxazululeni izinkinga lapho
abantu bengazi ukuthi yini okufanele bayibheke.



This resource is licensed by the [Raspberry Pi Foundation](#) under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International Public License (CC BY-NC-ND 4.0). For more information on this licence, see creativecommons.org/licenses/by-nc-nd/4.0.

Experience AI




This glossary has been created by the Raspberry Pi Foundation as part of our educational programme, Experience AI. Find out more at www.experience-ai.org

Le glossary idalwe yi-Raspberry Pi Foundation njengengxenywe yohlelo lwethu lwezemfundo, i-Experience AI. Thola okwengeziwe www.experience-ai.org

This resource is licensed by the Raspberry Pi Foundation under a Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International Public License (CC BY-NC-ND 4.0). For more information on this licence, see creativecommons.org/licenses/by-nc-nd/4.0.

Lesi sisetshenziswa sinikezwe ilayisense yi- Raspberry Pi Foundation ngaphansi kwe-Creative Commons Attribution-NonCommercial-NoDerivatives 4.0 International Public License (CC BY-NC-ND 4.0). Ukuze uthole ulwazi olwengeziwe ngale layisensi, bheka creativecommons.org/licenses/by-nc-nd/4.0.



Raspberry Pi
Foundation